

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/606,688	06/26/2003	Diana Clifton Draper	BD59/05	6279
75	90 09/07/2004		EXAM	INER
Edward P. Dutkiewicz P.O. Box 511			PRICE, CARL D	
Largo, FL 33779-0511			ART UNIT PAPER NUMBER	
			2210	

DATE MAILED: 09/07/2004

Please find below and/or attached an Office communication concerning this application or proceeding.





COMMISSIONER FOR PATENTS United States Patent and Trademark Office P.O. Box +450 ALEXANDRIA, VA 22313-1450 www.uspto.gov

Notice of Non-Compliant Amendment (37 CFR 1.121)

37 CFR correcte	1.121. Ii ed section	document filed onis considered non-compliant because it has failed to meet the requirements of a order for the amendment document to be compliant, correction of the following item(s) is required. Only the nof the non-compliant amendment document must be resubmitted (in its entirety), e.g., the entire to the claims" section of applicant's amendment document must be re-submitted. 37 CFR 1.121(h).
THE FO		NG CHECKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT: adments to the specification: A. Amended paragraph(s) do not include markings. B. New paragraph(s) should not be underlined. C. Other
	2. Abstra	A. Not presented on a separate sheet. 37 CFR 1.72. B. Other dments to the drawings: SEE The attached letter,
		dments to the claims: A. A complete listing of <u>all</u> of the claims is not present. B. The listing of claims does not include the text of all pending claims (including withdrawn claims) C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following 7 status identifiers: (Original), (Currently amended), (Canceled), (Withdrawn), (Previously presented), (New) and (Not entered). D. The claims of this amendment paper have not been presented in ascending numerical order.
For furth	∐ ier explai	E. Other:

http://www.uspto.gov/web/offices/pac/dapp/opla/preognotice/officeflyer.pdf.

If the non-compliant amendment is a PRELIMINARY AMENDMENT, applicant is given ONE MONTH from the mail date of this letter to supply the corrected section which complies with 37 CFR 1.121. Failure to comply with 37 CFR 1.121 will result in non-entry of the preliminary amendment and examination on the merits will commence without consideration of the proposed changes in the preliminary amendment(s). This notice is not an action under 35 U.S.C. 132, and this ONE MONTH time limit is not extendable.

If the non-compliant amendment is a reply to a NON-FINAL OFFICE ACTION (including a submission for an RCE), and since the amendment appears to be a bona fide attempt to be a reply (37 CFR 1.135(c)), applicant is given a TIME PERIOD of ONE MONTH from the mailing of this notice within which to re-submit the corrected section which complies with 37 CFR 1.121 in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD ARE AVAILABLE UNDER 37 CFR 1.136(a).

If the amendment is a reply to a FINAL REJECTION, this form may be an attachment to an Advisory Action. The period for response to a final rejection continues to run from the date set in the final rejection, and is not affected by the non-compliant status of the amendment.

Primary Examiner

Application/Control Number: 10/606,688

Art Unit: 3749

Notice of Non-compliant Amendment (37 CFR 1.121)

The amendment to the drawings filed on 06/07/2004 does not comply with the requirements of 37 CFR 1.121(d) because:

- 1) The drawing sheet including Figures 3 and 4 filed on 06/07/2004 has not been labeled "Replacement Sheet";
- 2) All changes to the drawing(s) have not been explained, in detail, in either the drawing amendment or remarks section of the amendment paper

Amendments to the drawings filed on or after July 30, 2003 must comply with 37 CFR 1.121(d) which states:

(d) Drawings. One or more application drawings shall be amended in the following manner: Any changes to an application drawing must be in compliance with § 1.84 and must be submitted on a replacement sheet of drawings which shall be an attachment to the amendment document and, in the header, labeled "Replacement Sheet." Any replacement sheet of drawings shall include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is amended. All changes to the drawing(s) shall be explained, in detail, in either the drawing amendment or remarks section of the amendment paper.

Examiner's Comment

Regarding the amendment to the Specification at page 14, lines 10-18. Applicant should not that the word "fi" appearing in the second to the last line of the paragraph submitted by applicant should be changed to - - of - -.

Art Unit: 3749

USPTO CUSTOMER CONTACT INFORMATION

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CARL D. PRICE whose telephone number is 703-308-1953. The examiner can normally be reached on Monday through Friday between 6:30am-3:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ira Lazarus can be reached on 703-308-1935. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CARL D. PRICE Primary Examiner Art Unit 3749